

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANTS: Lichtinger, et al.

SERIAL NO.:

FILED: This application is a divisional of 09/965,390 filed on September 27, 2001, which claims the benefit of U.S. Provisional Application Serial No. 60/236,456 filed on September 29, 2000

FOR: Weight Classification System

ATTORNEY DOCKET NO: 60,426-613 (2003P06347US)

Assistant Commissioner of Patents & Trademarks
Washington, D.C. 20231

PRELIMINARY AMENDMENT

Dear Sir:

Please preliminarily amend the subject patent application as follows.

IN THE SPECIFICATION

Please make the following changes to the specification.

Please replace paragraph [1] with the following paragraph.

This application is a divisional of 09/965,390 filed on September 27, 2001, which claims the benefit of U.S. Provisional Application Serial No. 60/236,456 filed on September 29, 2000.

IN THE CLAIMS

Please cancel claims 1-34 and add the following new claims.

1.-34. (Cancelled)

35. (New) A vehicle weight classification system comprising:

a seat assembly having a seat frame for supporting a seat bottom;

a seat belt assembly for securing a seat occupant to said seat assembly, said seat belt assembly including a male member and a female member for receiving said male member to secure the seat occupant to the seat assembly;

a rigid member attached to only one of said male or female members and having a first end for supporting a seat belt portion and a second end integrally formed with said first end for attachment to a vehicle structure;

a plurality of weight sensors mounted to said seat frame for generating a plurality of weight signals in response to a weight force applied to said seat bottom;

at least one seat belt force sensor for generating a seat belt force signal, said seat belt force sensor being mounted on said rigid member between said first and second ends for measuring a force exerted on said rigid member by a tension force applied to said seat belt portion;

an electronic control unit for receiving said weight signals and seat belt force signals to determine occupant weight and center of gravity, generating an occupant classification based on said occupant weight and center of gravity, and transmitting an output control signal based on said occupant classification; and

an airbag module for receiving said output control signal to control airbag deployment based on said occupant classification.

36. (New) A system according to claim 35 wherein said seat assembly includes a seat mount for attachment to a vehicle floor and said plurality of weight sensors comprises a first

sensor mounted at a front right side corner of said seat bottom between said seat frame and said seat mount, a second sensor mounted at a front left side corner of said seat bottom between said seat frame and said seat mount, a third sensor mounted at a rear right side corner of said seat bottom between said seat frame and said seat mount, and a fourth sensor mounted at a rear left side corner of said seat bottom between said seat frame and said seat mount.

37. (New) A system according to claim 36 wherein said first end of said rigid member is positioned at an angle relative to said second end of said rigid member with said seat belt force sensor being directly mounted to said rigid member adjacent said second end.

38. (New) A system according to claim 37 including an electrical connector mounted directly to said rigid member adjacent to said seat belt force sensor for receiving strain measurements from said strain gage and transmitting said measurements to said electronic control unit to determine the magnitude of the tension force.

39. (New) A system according to claim 38 wherein said rigid member includes a neck portion positioned between said first and second ends having a width that is less than the width of said first and second ends and wherein said seat belt force sensor is mounted on said neck portion.

40. (New) A system according to claim 39 wherein said first end includes an elongated slot for a loop attachment to said seat belt portion and said second end includes at least one aperture for receiving a fastener for attachment to the vehicle structure and wherein said electrical connector is mounted to said rigid member adjacent to said second end between said aperture and said neck portion.

41. (New) A system according to claim 39 wherein said first end of said rigid member is positioned at an angle relative to said neck portion and said second end of said rigid member.

42. (New) A system according to claim 39 wherein said electrical connector includes a main body portion for supporting at least one electrical component, said main body portion being directly mounted to said rigid member between said neck portion and said second end.

43. (New) An assembly according to claim 42 wherein said main body member comprises a rigid housing member and wherein said at least one electrical component comprises a microprocessor mounted within said rigid housing member.

44. (New) A system according to claim 43 wherein said at least one seat belt force sensor comprises at least one strain gage assembly.

45. (New) A system according to claim 44 wherein each of said weight sensors includes a first end mounted to a seat track member with a first fastener, a second end mounted to a vehicle structure with a second fastener, and a central bendable portion that extends between said first and second ends.

46. (New) A system according to claim 45 including a strain gage assembly mounted to said central bendable portion and an electronics package with a flexible printed circuit board and an application specific integrated circuit, said electronics package being in electrical communication with said strain gage assembly.

46. (New) A system according to claim 46 wherein said central bendable portion includes a first surface and a second surface facing in an opposite direction from said first surface

wherein one of said first or second surfaces includes a groove and the other of said first or second surfaces supports said strain gage assembly.


47. (New) A system according to claim 46 wherein said electronic control unit includes a plastic housing with integrated insert molded sealed connectors for attachment/connection to said weight sensors.

REMARKS

Claims 1-34 have been cancelled. By the present amendment, Applicant has added new claims 35-44. Applicant respectfully requests examination of the claims.

It is believed that no additional fees are due, however, the Commissioner is authorized to charge Deposit Account No. 50-1482, in the name of Carlson, Gaskey & Olds, for any additional fees or credit the account for any overpayment.


Respectfully submitted,


Kerrie A. Laba , Reg. No. 42,777
Carlson, Gaskey & Olds
400 West Maple, Suite 350
Birmingham, Michigan 48009
(248) 988-8360

Dated: June 25, 2003

CERTIFICATE OF MAILING

I hereby certify that the enclosed Amendment is being sent via Express Mail (EV221416503US addressed to Box Patent Application, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 25th day of June, 2003.


Laura Combs